



## *Document Change Announcement*

*2007 Design Manual*

**DCA2010-DM-06**

**DATE July 19, 2010**

**Subject: Revision to Subsection 2.2.3.2 of the Design Manual**

### Description of Change

Allowed the use of Class A concrete with concrete penetrating sealer in situations where only a small quantity is required it is cost prohibitive or unnecessary to use HPC.

### Instructions to Designers and Consultants

Effective immediately, the revisions contained in this announcement shall be applied to all projects in every phase of design. For advertised contracts awaiting the opening bids, this revision shall be incorporated via addendum, if applicable. Contact your NJTA Project Manager for instructions. Attached revision is noted in italics.

Designers may access these revisions in the NJTA Design Manual, which is available on the Authority's Web Page: <http://www.state.nj.us/turnpike/nj-buss.htm>.

### Information for In-House Staff

The revisions have been incorporated into the Design Manual, which is available on the S drive @ S:\Project Files\Design-Procedure Manual. Please distribute the information to your respective Project Managers and have them direct their consultants appropriately.

**Recommended By:**

Handwritten signature of Robert J. Fischer, P.E.

Robert J. Fischer, P.E.  
Assistant Chief Engineer, Design

**Approved By:**

Handwritten signature of Richard J. Raczynski, P.E. with the date 7/21/10 written next to it.

Richard J. Raczynski, P.E.  
Chief Engineer