THE NEW JERSEY TURNPIKE AUTHORITY

PROCUREMENT AND MATERIALS MANAGEMENT DEPARTMENT

New Jersey Turnpike Administrative Offices 1 Turnpike Plaza P.O. Box 5042 Woodbridge, New Jersey 07095-5042 Tel. - 732-750-5300 Ext. 8640

REQUEST FOR BID

TITLE:	1/2-TON 2WD	REGULAR	CAB PICK	L-UP TRUCKS (13)

BID NO: **R-155328**

DUE DATE: FEBRUARY 20, 2020

TIME: 11:00 AM

SUBMIT BIDS BEFORE THE DUE DATE AND TIME STATED ABOVE TO THE ABOVE ADDRESS

BIDDER INFORMATION (PLEASE PRINT)

NAME OF BIDDING ENTITY	7
ADDRESS	
CITY, STATE AND ZIP CODI	 E
E-MAIL ADDRESS	
REPRESENTATIVE TO CONTACT-NAME & TITLE	TELEPHONE NO.
FEDERAL TAX I.D. NO. or TAXPAYER I.D. NO.	FAX NO.

SECTION I

A. <u>INTRODUCTION</u>

The New Jersey Turnpike Authority (the "Authority") was created by an act of the New Jersey Legislature in 1948, known as the New Jersey Turnpike Authority Act (as amended and supplemented, "Act"). The Act authorizes the Authority to construct, maintain, repair, and operate the New Jersey Turnpike, to collect tolls, and to issue Turnpike Revenue Bonds or Notes, subject to the approval of the Governor, payable from tolls and other revenues of the Authority. On May 27, 2003, the Act was amended to empower the Turnpike to assume all powers, rights, obligations and duties of the New Jersey Highway Authority (the "Highway Authority"), which owned and operated the Garden State Parkway and PNC Bank Arts Center. On July 9, 2003, the Authority assumed all powers, rights, obligations and duties of the Highway Authority. The Authority currently operates both the Garden State Parkway ("GSP") and the New Jersey Turnpike ("Turnpike") (both roads are collectively referred to herein as the ("Roadways").

The Authority is governed by an eight-member Board of Commissioners ("Board"). The Governor of New Jersey appoints each of its members and has the statutory authority to overturn an action of the Board by vetoing any Board action within 10 days of receiving the minutes of the meeting. The Board authorizes awards of all public contracts over \$100,000, except in cases where it has delegated authority to the Executive Director.

This bid solicitation is being conducted pursuant to the Authority's enabling statute as found in *N.J.S.A.* 27:23-6.1 and Executive Order number 37 (Corzine 2006) and the regulations and policies of the Authority regarding public bid procurement.

B. BIDDER GUIDELINES/CHECKLIST

BIDS THAT FAIL TO CONFORM TO THE FOLLOWING REQUIREMENTS MAY BE REJECTED:

- The Request for Bid ("RFB"), including specifications and related bid documents ("Bids") must be received at or before
 the due date and time stated on the cover page at the following place: New Jersey Turnpike Authority, Administration
 Building, 1 Turnpike Plaza, Woodbridge, New Jersey 07095. LATE BIDS WILL BE RETURNED UNOPENED.
 ELECTRONIC, EMAILED OR FACSIMILE BIDS WILL NOT BE ACCEPTED. A public Bid Opening will take
 place at the New Jersey Turnpike Authority, Administration Building, 1 Turnpike Plaza, Woodbridge, New Jersey 07095.
- 2. The entity submitting a Bid ("Bidder") must provide one original and one copy of the Bid. The Bid must include all price information. Bid prices shall include delivery of all items F.O.B. destination or as otherwise provided. Price quotes must be firm through issuance of contract.
- 3. All Bid prices must be typed or written in ink. Quote the specified unit of measure. If bidding an alternate, provide detailed specifications on the exception form attached.
- 4. All corrections, white-outs, erasures, re-striking of type, or other forms of alteration or the appearance of alteration, to unit and/or total prices must be initialed in ink by the Bidder.
- 5. IF CHECKED, THIS RFB REQUIRES THE FOLLOWING MANDATORY DOCUMENT(S) BE SUBMITTED WITH THE BID. FAILURE TO COMPLY WILL RESULT IN REJECTION OF THE BID.

(a)	Bid Bond, Letter of Surety or a Cashier's Check for 10% of the amount Bid	X
(b)	Ownership Disclosure Statement	X
(c)	Disclosure of Investment Activities in Iran	X
(d)	Vendor Disclosure Form	X

- 6. TO FACILITATE THE CONTRACT AWARD PROCESS, THE FOLLOWING DOCUMENTS SHOULD BE SUBMITTED WITH THE BID. IN THE EVENT THE DOCUMENTS ARE NOT SUBMITTED WITH THE BID, THEY SHALL BE SUBMITTED WITHIN THREE (3) BUSINESS DAYS FOLLOWING A VERBAL OR WRITTEN REQUEST FROM THE AUTHORITY.
 - (a) Certification of Registration with the Secretary of State (only if non-NJ corporation)
 (b) Acknowledgement of requirement for Disclosure of Political Contributions (ELEC)
 (c) SBE/WBE/MBE Certificates and Form
 (d) Bidder must sign the Bid
- 7. SEE THE AUTHORITY'S INSTRUCTION TO BIDDERS (ATTACHED) FOR A COMPLETE LIST OF THE AUTHORITY'S STANDARD CONTRACT TERMS AND CONDITIONS, AS WELL AS OTHER FORMS THAT ARE REQUIRED PRIOR TO THE AWARD OF THE CONTRACT(S). THE RECOMMENDED LOW BIDDER(S) MUST SUBMIT THE FOLLOWING CHECKED DOCUMENTS PRIOR TO CONTRACT AWARD.

(a)	Mandatory Equal Employment Opportunity Language	\times
(b)	Affirmative Action Information Sheet with Certificate or Form AA302	X
(e)	State Contractor Political Contributions Compliance Public Law 2005, Chapter 51 & EO 117	\times
(f)	Notice to All Bidders of Set-Off for State Tax	\boxtimes
(g)	Insurance Certificate	X
(h)	State of New Jersey Division of Business Registration Certificate	\times

SECTION II

A. INTENTION

- 1. **Sealed Bids** (<u>Paper Submission Only</u>) for R-155328 must be received at the New Jersey Turnpike Authority Administrative Offices, 1 Turnpike Plaza, Woodbridge, New Jersey 07095-5042, by the due date and time stated on the cover page of this "RFB" at which time and place said Bid will be opened and read in public.
- 2. Bidders mailing Bids should allow for their normal mail delivery time to ensure timely receipt of the Public Bids. Please be advised that using an overnight/next-day delivery service does not guarantee overnight/next-day deliveries to our location. The Authority will not be responsible for any Bid not being received by the required date and time.
- 3. It is the intention of the Authority to issue a Purchase Order for the procurement of <u>1/2-TON</u> 2WD REGULAR CAB PICK-UP TRUCKS (13).
- 4. Items purchased under this contract will be delivered as directed by the Authority.
- 5. Please contact Richard Bava with any questions regarding this procurement at 732-750-5300 X-8636 or bava@njta.com.

B. BID SHEET INSTRUCTIONS

- 1. Bidders must follow all instructions in this RFB and in the Instructions to Bidders issued by the Authority, and any other documents issued by the Authority regarding this RFB (collectively, "Bid Documents").
- 2 Bidders must examine the bid documents carefully before bidding and must ask the Director of Procurement and Materials Management Department ('PMM") in writing for any interpretation or correction of any apparent ambiguity, inconsistency or apparent error therein. If necessary, an interpretation or correction to the specifications in the form of an addendum shall be issued at least three (3) days prior to the bid opening by the Director of PMM to Bidders who have obtained the Bid Documents in accordance with *N.J.A.C.* 19:9-2.2(a)(3). **Requests for interpretation or correction shall be considered only if received at least 5 business days prior to the Bid opening date**.
 - The submission of the Bid is conclusive evidence that the Bidder is fully aware of the conditions, requirements, and details as stated in the Bid Documents. If the Bidder, prior to submitting its Bid, fails to notify the Director of PMM of the existence of an ambiguity or inconsistency in the Bid Documents, a Bid will conclusively be presumed to have been based upon the Authority's interpretation of such ambiguity or inconsistency.
- 4 All erasures, interpolations or other physical changes on the Bid form shall be signed or initialed by the Bidder. Bids containing any conditions, omissions, erasure's, alterations, or items not called for in this "RFB" or irregularities of any kind, may be rejected by the Authority, in its sole discretion.

- 5 The Bidder shall not attach conditions, limitations or provisos to its Bid.
- The Authority will accept Approved Equivalent items on this Bid. If a Bidder is basing the RFB on items other than what is specified, and wishes the items proposed to be considered as an "Approved Equivalent", the Bidder shall enter a price on the Bid sheet then submit on the Exception Form in the exact format of the line item on the RFB contained herein, the item number, an item description including manufacturers name, model number, informational brochure(s), and packaging quantities of those items that the Bidder proposes to substitute.

C. BASIS OF AWARD

- 1. Bidders must supply a price for every item listed. <u>Bids not having a price for all listed items may be rejected.</u>
- 2. Bidders must quote only one price per line item. <u>If a Bidder quotes multiple prices per line item, the Bid may be rejected</u>.
- 3. The Authority will purchase amounts of any given item as needed, at the sole discretion of the Authority and shall not be bound by any quantities listed. The Authority reserves the right to make reasonable increases to line item quantities.
- 4. All items are to be Bid FOB Destination. All shipping, handling, and other costs should be considered in the Bid price(s).
- 5. The Authority is tax exempt from New Jersey Sales and Excise Tax.
- 6. Award will be made to the lowest responsible and responsive bidder for the total line items Bid.

D. MISCELLANEOUS

١.	Anticipated Delivery Date	:
	1	

2. ELECTRONIC PAYMENT: The Vendor will be required to accept <u>payment(s)</u> for goods or <u>services via automatic deposit</u> from the Authority. <u>NO OTHER FORM OF PAYMENT WILL BE PROVIDED</u>. <u>See Exhibit M in the Instructions to Bidders on the Authority's website for the required electronic payment forms: http://www.njta.com/doing-business/goods-and-services</u>

BID QUOTATION SHEET

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL BID AMOUNT
1	13	EA	1/2-TON 2WD REGULAR CAB PICK-UP TRUCKS, AS PER ATTACHED SPECIFICATIONS	\$	\$

Number of days, after receipt of a Purchase Order, that all vehicles or equipment will be delivered to the Authority, fully completed and compliant with the Specifications:

DAYS

Award will be made to the lowest responsive and responsible bidder for the Total Bid Amount.

ANY INQUIRIES CONCERNING THIS BID MUST BE SENT VIA EMAIL TO: bava@njta.com

PURSUANT TO N.J.A.C. 19:9-2.2 (a)(3), ADDENDA WILL BE DISTRIBUTED AND POSTED ON THE AUTHORITY'S WEBSITE AT LEAST THREE DAYS PRIOR TO THE BID OPENING.

NEW JERSEY TURNPIKE AUTHORITY

Very truly yours,

Dale Barnfield, Acting Director Procurement and Materials Management

	/	
Name of Company		Authorized Signature of Bidder

E. SIGNATURE PAGE

1.	ADDENDA / INQUIRIES: COM	MPLETE ((if applicab	le) BEFORE SU	BMITTING BI	D:
	Receipt of Addendum / Inquiries	#	dated		is hereby ack	mowledged.
	Receipt of Addendum / Inquiries	#	dated		is hereby ack	nowledged.
	CHECK BOX IF NO ADD (All Addenda / Inquiries must				.)	
2.	BID IRREVOCABLE: This offer which the Authority publicly open has filed a bid protest pursuant to required to hold their prices for a action taken by the Authority.	ns this Bio to <i>N.J.A.C</i>	d except in C. 19:9-2.12	those instances 2. Upon notifica	where an unsuction of a protes	cessful Bidder st, Bidders are
3.	OFFER/CERTIFICATION: Turnpike Authority the service specifications and addenda of the further certifies understanding a conditions as stated in the Instruct certifies that he or she executes the in this Bid and in this certificated Authority relies upon the truth of the Authority showing evidence of I certify that the foregoing statements made by me are willful.	es and/or e RFB, B and complitions to Bid with ion, are transfer the statem of qualification.	materials id Docume iance with dders include the full authorue and contents containtions in aways by me are	in compliance ents, and resultir the requirement ded with the Bid prity so to do; an erect, and made aned herein and it rarding the contracture. I am aware true. I am aware ents, and aware ents are true.	with all term ag contract. The ts of the standard Documents. The distance with full known any statement act.	is, conditions, are undersigned and terms and the undersigned ents contained eledge that the is requested by
4	AUTHORIZED SIGNATURE:					
	Print Name and Title:					
	Bidder:					
	Address:					
	City, State, Zip:					
	E-mail address:					
	Telephone #:			Fax: #		
	Date:	_				

ADDITIONAL YEARS PURCHASING OPTION

BID TITLE: 1/2-TON 2WD REGULAR CAB PICK-UP TRUCKS

BID NUMBER: R-155328

<u>3 - Year Open End Option</u>: The Authority shall have the option for one (1) Model Year* from the date of Contract, to order additional units conforming to the requirements of these specifications at the same price and under the same terms and conditions as those contained herein.

The Authority shall further have the option to purchase additional units conforming to these specifications for two (2) additional Model Years. Any unit(s) offered during the two (2) subsequent Model Years shall be of the model equivalent to that specified herein. In the latter instances, if there have been any price changes, the vendor shall submit a request to the Authority covering the aforesaid price changes, and shall include appropriate explanation and justification for any such price changes.

Any such request for price adjustment shall be in writing and directed to the Director, Procurement and Materials Management Department and shall be accompanied by the following evidence as a basis for your request;

- 1. The published price lists for equipment, which were in effect at the time of your original proposal.
- 2. The equivalent published price lists in effect at the time of your request.
- 3. Any additional evidence which the Authority deems necessary in the evaluation of your request.

The Authority shall, within its sole discretion, have the right to accept the price changes proposed by the vendor or if it so desires, re-bid the requirement.

Iodel Year is defined as the Model Year of the Manufacturer of the unit(s) offered by you in this Request for lotation. In that instance where proposals are for equipment for which "Model Year" and "Production Cut-Off
tes" are undefined or non-existent, the "Model Year" is defined, for bid purposes, as one calendar year from
date on which the Contract is accepted. The last date on which orders may be placed for the Model currently
effect is
Name of Company and / Authorized Signature of Bidder

SECTION III

NO RESPONSE BID SURVEY

BID REQUISITION NUMBER: R-155328

BID TITLE: 1/2-TON 2WD REGULAR CAB PICK-UP TRUCKS

If you do not choose to respond to this Bid, please complete this form and email to Richard Bava at: bava@njta.com

Reason you did	I not respond (Check all that apply)
(Cannot supply product or service
	Cannot meet technical specifications
	Cannot meet delivery specifications
	Cannot meet legal requirements (i.e. Bid/performance/security/insurance, etc.)
	Cannot provide a competitive price now
	Interested in receiving specifications for informational purposes only
	Insufficient lead time to respond
	Other:(please be specific)
Do you wi	sh to remain on our mailing list?
Yes	No
ional comments:	,
Signed :(o	ptional)
Company	

SECTION IV

NEW JERSEY TURNPIKE AUTHORITY

GENERAL INSTRUCTIONS AND SPECIFICATIONS FOR:

QUANTITY: 13

<u>DESCRIPTION</u>: ½-TON REGULAR CAB, 2-WHEEL DRIVE PICK-UP TRUCK WITH 8' FLEETSIDE BODY AND ACCESSORIES

SPECIFICATIONS: CC-2020: CAB-CHASSIS

<u>COMPLIANCE WITH RULES AND REGULATIONS</u>: The unit and associated equipment furnished must comply with all Federal and State Motor Vehicle Safety Laws and Regulations and shall can pass the New Jersey State Motor Vehicle Inspection Laws, where applicable.

ENERGY STAR REQUIREMENTS: If applicable for items specified in the bid package, the vendor must provide products that earn Energy Star Certification and meet the Energy Star specifications for energy efficiency. The vendor is encouraged to visit energystar.gov for complete product specifications and updated lists of qualifying products. The Energy Star label must also be affixed to each delivered item. The bidder's signature on the signature page certifies that items so indicated that have earned Energy Star and meet the Energy Star specifications or other standards for energy efficiency will be supplied.

ERRORS AND OMISSIONS: Inadvertent omissions or errors in the attached specifications must be brought to the attention of the New Jersey Turnpike Authority's Director of Procurement and Materials Management at 732-750-5300 before bid submission date. If, with knowledge of such error or omission and prior to the correction thereof, the bidder proceeds with any work affected hereby, they shall do so at their own risk and the work so done shall not be considered as work done under and in performance of this Agreement unless and until approved and accepted.

<u>DELIVERY DATE</u>: All bidders <u>must</u> list on their "Bid Quotation Sheet" in the space specified the number of days (e.g. 120, 150, 180, etc. after receipt of purchase order) that all vehicles or equipment will be delivered to the Authority fully completed and fully compliant with the specifications. A <u>specific</u> number of days <u>must</u> be listed. Under <u>no</u> circumstances shall bidders give approximate dates or ranges of dates to deliver such as: 210 days to 240 days.

FAILURE TO FOLLOW THESE GUIDELINES MAY RESULT IN REJECTION OF BID.

CONFIRMATION OF ORDER: Once the Vendor receives the purchase order via email from the Authority's representative, the Vendor shall have a maximum of thirty (30) days to **verify in writing** to the Authority that the vehicles or equipment have been placed on order with the manufacturer of said vehicle (s) or equipment. **FAILURE TO FOLLOW THESE GUIDELINES MAY RESULT IN REJECTION OF PURCHASE ORDER AND AWARD TO THE NEXT LOWEST RESPONSIBLE BIDDER.**

DELIVERY INSTRUCTIONS:

Vendor must contact Peter Perperas (Project Supervisor) at 732-750-5300 ext. 8647 for authorization to schedule date and time prior to delivery. Deliveries shall be made to:

New Jersey Turnpike Authority District 4 Maintenance Facility Exit 8 NJ Turnpike and Route 33 Hightstown, NJ 08520

- A. Vendor shall be responsible for all delivery, shipping and pick-up expenses.
- B. All units must be pre-delivery serviced, completely assembled, operational, and cleaned prior to Authority delivery.
- C. The following administrative package **must** accompany all deliveries:
 - <u>Certificate of Origin</u>: All New Jersey Manufacturers, Dealers, and/or Distributors <u>must</u> stamp the C.O. "Sales Tax Satisfied". The C.O. shall be made out to New Jersey Turnpike Authority, P.O. Box 5042, Woodbridge, NJ 07095. Certificate of Origin shall have current date and be hand delivered to Peter Perperas after final acceptance of complete order.
 - Out of Country Certificates of Origin shall <u>not</u> be acceptable. Awarded vendors outside the United States must use their United States Distributor to fill out Certificates of Origin. NO EXCEPTIONS
 - <u>Invoice</u>: purchase order number must be displayed on vendors invoice. Invoice shall have current date and be hand delivered to Peter Perperas after final acceptance of complete order.
 - Warranty forms properly executed.
 - Four (4) keys for each vehicle shall be furnished (each vehicle shall have an independent key code). **NO EXCEPTIONS**
 - Four (4) keys, keyed alike for toolboxes or similar compartments shall be furnished for each vehicle. **NO EXCEPTIONS**
 - State MVC (Motor Vehicle Commission) required inspection stickers shall be provided with each vehicle upon delivery.
 - All vehicles being delivered shall have a **Dealer Plate** affixed to the vehicle.

- It shall be the responsibility of the awarded vendor that all tolls, when applicable be paid when making delivery to the Authority.
- D. All units shall be delivered with a minimum of a half tank of fuel.
- E. Deliveries made directly to the Authority from the manufacturer shall not be acceptable, unless manufacturer is awarded bidder.
- F. In the event the awarded bidder contracts a trucking/delivery company to deliver units, a representative from the awarded bidders company must be at the delivery site at time of delivery to the Authority. **NO EXCEPTIONS**

<u>WARRANTY</u>: All vehicles delivered must be guaranteed for three (3) years/36,000 miles-bumper to bumper and five (5) years/60,000 miles-powertrain from the time of written acceptance by the New Jersey Turnpike Authority. Warranty must include service availability from any manufacturers authorized dealer establishment most closely located to Parkway and Turnpike area. This repair facility may not be further than 100 miles from District 5 Telegraph Hill Central Maintenance Facility in Holmdel, NJ 07733 or District 4 Maintenance Facility located in Hightstown, NJ 08520. If warranty service is required, the vendor who supplied the unit shall provide for pickup, delivery and repair of unit at no charge to the New Jersey Turnpike Authority. All warranty periods shall start from date of written acceptance of the unit by the New Jersey Turnpike Authority.

EXCEPTION SHEET: Exception sheet is furnished with each set of specifications. Bidders making exceptions must note exceptions by item and indicate substitution in lieu and submit with bid, detailed specifications on the substitution. If the vendor is submitting an alternate product, component, feature or part to what is referenced in the specifications, the proposals <u>must</u> be accompanied by descriptive literature, marked and indicate the exact items to be furnished, with an engineering drawing of the same. Failure to supply information requested may result in rejection of bid. Where no exception is taken; the word "None" shall be neatly printed or typed on the exception sheet. Failure to supply information and/or failure to complete the bidder's exception spaces in the prescribed manner may disqualify bid. It shall be understood that if no exception is taken, the vendor shall supply all material exactly as specified. No substitution will be permitted after receipt of bids.

<u>APPROVED EQUIVALENT</u>: A bid substitution for a specified item brand and/or model that meets the required quality and performance standards of the original brand; substitutions will be determined to be an approved equivalent by the New Jersey Turnpike Authority.

<u>UNIT INFORMATION FORM</u>: Vendor shall complete the entire Unit Information Form. **Failure to complete form may result in rejection of bid.**

<u>MANUFACTURER'S PRODUCTION SHEET</u>: The vendor shall furnish one (1) copy of the actual Factory Production Sheet for each unit provided. The copies of the Factory Production Sheet shall be submitted at the time of the Authority's inspection of the unit.

<u>LABELS</u>: Plastic stick-on labels shall <u>not</u> be acceptable.

ADVERTISEMENTS: No **Dealer** advertisements shall appear on unit or any other related equipment.

NOTICE TO BIDDERS: Bidders shall <u>not</u> be allowed to use vehicles/equipment in any type of shows, conventions, brochures, etc. without prior written consent of the New Jersey Turnpike Authority. **NO EXCEPTIONS**

<u>ACCESSORIES</u>: All accessories shall be manufacturer installed when the item is available from the manufacturer.

<u>FACILITIES</u>: Bidders shall represent a manufacturer, which has in operation a factory adequate for the manufacture of the equipment, which it proposes to furnish. The manufacture(s) whose associated equipment or products are bid shall have a full-service warranty and parts supply facility that can guarantee availability of parts within 24 hours after telephone order and shall be located within a 100-mile radius of either District 4 Maintenance Facility (exit 8 on the NJ Turnpike) located in Hightstown, NJ 08520 or Telegraph Hill Central Maintenance Facility (exit 116 on the GSP) located in Holmdel, NJ 07733. The bidder shall submit the locations, names and telephone numbers of people who are authorized to service the equipment or who can be reached for emergency service.

Location		
Phone #		
Contact		
	Name & Title	

SPECIFICATIONS: CC-2020 CAB-CHASSIS

BIDDER'S INSTRUCTIONS

IT SHALL BE THE BIDDER'S RESPONSIBILITY TO CAREFULLY EXAMINE EACH ITEM OF THE SPECIFICATION. BIDDERS MUST INDICATE WHETHER THEY COMPLY OR NON-COMPLY FOR EACH LINE ITEM IN THE SPECIFICATION. FAILURE TO PROVIDE A COMPLETED BID MAY CAUSE REJECTION OF BID. ALL NON-COMPLY RESPONSES AND/OR BIDDERS PROPOSED "APPROVED EQUIVALENTS" MUST BE FULLY EXPLAINED ON EXCEPTION FORM, NOTING SECTION AND ITEM. FAILURE TO EXPLAIN NON-COMPLY RESPONSES OR FAILURE TO SUPPLY DETAILED LITERATURE/BROCHURES ON THE BIDDERS PROPOSED "APPROVED EQUIVALENTS" MAY CAUSE REJECTION OF BID. WHERE "MINIMUM/MAXIMUM" IS SPECIFIED, BIDDERS MUST PROPOSE AT LEAST THE MINIMUM/MAXIMUM SIZES OR THE BID MAY BE REJECTED.

	COM	IPLY
	YES	NO
GENERAL:		
A. 2020 or new current model, 2-wheel drive, ½-ton conventional cab pick-		
up truck with 8' fleetside body.		
B. 6,800 lbs. G.V.W.R.		
C. 133" wheelbase.		
D. 55" cab to axle.		
ENGINE:		
A. 5.3 liter 8-cylinder gas engine with Fuel Active Management-E85 Flex		
Fuel Capable. NO EXCEPTIONS		
B. 350 horsepower minimum.		
C. 380 lb./ft. torque minimum.		
ELECTRICAL:		
A. 12-volt heavy-duty maintenance free battery: 700 CCA minimum.		
B. Heavy-duty, 150-amp alternator.		
STEERING:		
A. Power steering.		
TRANSMISSION:		
A. Automatic transmission.		
B. Synthetic transmission fluid shall be used and installed at factory.		
FRONT BUMPER:		
A. Manufacturers standard with recovery hooks.		
B. Front license plate bracket.		
FRONT SUSPENSION:		
A. Independent front suspension with stabilizer bar and shock absorbers.		
FRONT AXLE:		
A. 3,700 lbs. capacity.		

	COMPLY	
	YES	NO
FRONT SHOCKS:		
A. Heavy-duty type.		
REAR BUMPER:		
A. Step type reinforced.		
REAR SUSPENSION:		
A. Multi-leaf type springs. 3,850 lbs. capacity with rear shock absorbers.		
REAR AXLE:		
A. 3.42 ratio.		
B. 3,800 lbs. capacity.		
C. Heavy-duty automatic locking rear differential.		
BRAKES:		
A. 4-wheel anti-lock.		
B. Manufacturers standard parking brake.		
TIRES/WHEELS:		
A. All Terrain steel belted tubeless black wall radial tires.		
B. P265/70R17 front and rear tires.		
C. Wheels: 17" x 8.0" steel wheels.		
D. One (1) mounted spare tire on rim full size, same as mounted on vehicle.		
CAB:		
A. 2-door conventional cab.		
B. Tinted glass all around.		
C. Instruments/interior/reading and dome lights shall be included.		
D. Gauges:		
• Tachometer		
Engine temperature		
Mileage & speed		
E. Fuel tank capacity: 28-gallons.		
F. Horn: Dual electric.		
G. Two (2) dash-mounted power outlets.		
H. Windshield wipers: Intermittent.		
I. Windshield washers: Wet arm pulse.		
J. Sun visors: Right/left side.		
K. Arm rests: Padded right hand/left hand.		
L. Seatbelts: Provide all positions.		
M. Seats: Vinyl 40/20/40 split bench, seating for 3-passengers.		
N. Air bags: Provide for driver and passenger.		
O. Fresh air heater/defroster/all-weather air conditioning.		
P. AM/FM stereo radio and antenna with minimum 7" diagonal color touch		
screen, digital clock, Bluetooth. When vehicle is in reverse the screen shall		
show back-up camera within the 7" color screen.		
Q. Daytime running lamps LED with automatic exterior lamp control.		
R. Power windows.		
S. Power door locks.		

	COMPLY	
	YES	NO
T. Factory installed (OEM) running boards on both sides (minimum 6"		
tubular style).		
U. Mirrors: Black foldaway adjustable mirror heads including convex		
mirrors.		
V. Safety reflector kit in cab.		
W. 2½ lb. dry chemical "UL" listed fire extinguisher for ABC class fires.		
X. All lighting and accessories shall turn off with ignition key "off" except		
for D.O.T. requirements.		
Y. All other manufacturers standard equipment not listed herein shall be		
provided.		
LIGHTS AND REFLECTORS:		
A. Comply with New Jersey State D.O.T. Regulations.		
B. Use LED where applicable.		
LIGHT BAR:		
A. Whelen Model IW2AAAANJTPKC Liberty 2 WC with a pre-determined		
emergency warning pattern or an Authority approved equivalent gutter		
mount lightbar.		
B. Lightbar shall be gutter mounted and come fully equipped with all		
necessary parts, gutter mounting kit, switch control etc.		
C. Lightbar shall be mounted per manufacturer's specifications.		
D. Lightbar shall be mounted on cab described in this specification high		
enough to be fully viewed from all angles.		
E. If necessary, vendors can contact Jeff Beutel at Fleet Reps: 914-906-1304		
for additional specific information regarding lightbar, gutter mounting,		
switch controls, etc.		
F. Rear Strobes:		
• The rear strobe type light shall be a Whelen Model VTX609A Vertex		
Super LED Light or Authority approved equivalent.		
• Furnish and install 2 self-contained hemispheric LED strobe type		
light head assemblies into the reverse (back-up light) section of rear		
taillight assemblies, including all mounting hardware and accessories		
for all vehicles listed in bid package. (Exact placement shall to be		
determined by the Authority prior to installation, solder/seal		
connections only).		
G. Under Bumper LED:		
• Furnish and install two (2) Whelen Model or Authority approved		
equivalent TIR3 Super LED light head assemblies under the rear		
bumper using an aluminum bezel and an L-type mounting bracket for		
each light head for all vehicles listed in this bid package. (Exact		
placement shall be determined by the Authority prior to		
installation, solder/seal connections only).		
MULTI-HITCH:		
A. Class III receiver shall be installed by Original Equipment Manufacturer		
with Trailer Brake Controller OEM installed.		


	COMPLY	
	YES	NO
B. Pintle hook receiver mount, black powder coated finish, solid shank, 113/8"		
length, 8 mounting holes.		
C. 15-ton standard pintle hook, black powder coated finish, mounted to pintle		
hook receiver mount and shall include safety pin and retention chain.		
TRAILER SOCKET:		
A. 7-round pin trailer die-cast socket wired per SAE Code: J560B (Cole		
Hersee part # 12063 female or Authority approved equivalent).		
B. Die-cast socket shall include a back-sided protective boot.		
C. See Specifications: TCEBC-2018.		
REAR STRIPING TREATMENT:		
A. See Specifications: Striping/Pick-Up Truck.		
SPRAY-ON BED LINER:		
A. Factory installed (OEM) black spray-on bed liner.		
B. Spray-on bed liner shall cover interior of truck bed, interior of tailgate,		
and top rails of truck bed.		
SAFETY RACK:		
A. Install a black "Back Rack" Model or Authority approved equivalent		
safety rack with full screen protection (to protect rear window).		
B. Safety rack shall be mounted after spray-on bed liner has been applied.		
PAINT:		
A. DuPont Dulux Omaha Orange Enamel # 93-082 or Authority approved		
equivalent.		
B. Paint shall be applied in a two-step process with the orange base coat and		
additional polyurethane overcoat.		
MANUALS:		
A. One (1) of each of the following manuals shall be supplied with each		
vehicle at time of delivery: Operating, Maintenance, Repair, and Parts.		


SPECIFICATIONS: TCEBC-2018 TRAILER CONNECTION / ELECTRIC BRAKE CONTROL

7-Way Round Pin, Trailer Connectors for Authority Trucks and Trailers

SOCKET MARKINGS


PLUG MARKINGS





SPECIFICATIONS: STRIPING/PICK-UP TRUCK

- 1. All stripes will be six (6) inches wide, forty-five (45) degrees from vertical.
 - a. The yellow stripes shall be Diamond Grade Fluorescent VIP Reflective Sheeting-3981, pressure sensitive.
 - b. The black stripes shall be Scotchcal 3650-12, pressure sensitive.
- 2. There shall be a Diamond Grade Conspicuity Marking 981-326, Red 6", White 6" both 2" high, surrounding the top, bottom, and both sides of the stripes, pressure sensitive.
- 3. Striping shall be adhered directly onto the tailgate. (Dimensions below are approximate).
- 4. The entire rear of the truck body tailgate shall be fully covered without covering any lights or accessories.
- 5. All materials shall be manufactured by and applied as approved by the Minnesota Mining Company (3M Company).



FAILURE TO COMPLETE ALL AREAS MAY RESULT IN REJECTION OF BID

UNIT INFORMATION FORM

(Must be submitted by vendor with bid documents)

TRUCK:				
YEAR: MAKE:	MODEL:			
ENGINE MAKE:				
MODEL:	CID:	HP:	@	RPM
ALTERNATOR AMPS:				
BATTERY VOLTS/AMPS:				
C.C.A. @ O° F:			_	
FUEL TANK CAPACITY:		_GALLONS		
TIRE SIZES: FRONT/REAR:				
SERVICING AGENCY:				
ADDRESS:				
TELEPHONE #:				
CONTACT:				
<u>LIGHTBAR</u> :		Name & Title		
DESCRIPTION:				
YEAR:MAKE:		MODEI	L:	
INSTALLER:				
ADDRESS:				
TELEPHONE #:		CONTACT:		

REAR STROBE	<u>SS</u> :	
DESCRIPTION:		
YEAR:	MAKE:	MODEL:
INSTALLER:		
ADDRESS:		
TELEPHONE #:		
CONTACT:		
		Name & Title
UNDER THE B	UMPER LED:	
DESCRIPTION:		
YEAR:	MAKE:	MODEL:
INSTALLER:		
ADDRESS:		
TELEPHONE #:		
CONTACT:		
		Name & Title
SPRAY-ON BEI	D LINER:	
YEAR:	MAKE:	MODEL:
INSTALLER:		
ADDRESS:		
TELEPHONE #:		
CONTACT:		

Name & Title

SAFETY RACK:

YEAR:	_MAKE:	_MODEL:
INICTALLED.		
INSTALLER:		
ADDRESS:		
TELEPHONE #		
CONTACT:		

Name & Title

Exception Form: Vendors may list proposed equivalent items below for considerand should include the item number, item description, manufacturer's name, model in the consideration of the consideratio	
quantities of those items which the vendor proposes to substitute. Vendors may not	use this form to attach
conditions, limitations, or other provisos to their bid. Please be advised that any pother exceptions that are deemed to be a material deviation from the specifications	
cause for rejection of the bid, and the vendor proceeds at its own risk.	, snan be a manuatory
Delivery Date Exception	
Warranty Date Exception	
Vendor's Name	
Signature of Vendor Responsible Officer	
Date	